

# PBI-GORDON FUNGICIDE ASSURANCE PROGRAM

## FAIRY RING



### PROTECT YOUR GREENS WITH THE PBI-GORDON FUNGICIDE ASSURANCE PROGRAM.

The proven track record of Pedigree Fungicide SC makes it a powerful component in your preventive fairy ring program. Pedigree applications with your wetting agent of choice are recommended, along with rotating fungicides with different modes of action. Incorporating Tekken® Broad Spectrum Fungicide or other DMI or Strobilurin Fungicides in rotation with Pedigree is a strong preventive programmatic approach to controlling Fairy Ring.

PBI-Gordon Corporation is committed to your success. By following the prescribed fungicide program for your grass type outlined below, you are guaranteed season-long fairy ring control<sup>^</sup>.



	Warm-Season	Cool-Season
<b>Application #<sup>1</sup></b>	<b>All Rates are per 1,000 sq. ft.</b>	
1	Pedigree (3.25 fl. oz.)	Pedigree (3.25 fl. oz.)
2	DMI or Strobilurin <sup>2</sup> Fungicide (full label rate for fairy ring)	DMI or Strobilurin <sup>2</sup> Fungicide (full label rate for fairy ring)
3	Pedigree (3.25 fl. oz.)	Pedigree (3.25 fl. oz.)
4	DMI or Strobilurin <sup>2</sup> Fungicide (full label rate for fairy ring)	DMI or Strobilurin <sup>2</sup> Fungicide (full label rate for fairy ring)
5	Pedigree (3.25 fl. oz.)	

<sup>1</sup>Sequential applications must be applied within 28-days of previous application in program.

<sup>2</sup>Qualifying strobilurin fungicides are azoxystrobin or fluoxastrobin at full label rate for Fairy Ring.

<sup>^</sup>Terms and conditions apply

# PBI-GORDON FUNGICIDE ASSURANCE PROGRAM **FAIRY RING**

## APPLICATION NOTES:

- Select product rotation based on grass type.
- Make first application when soil temperature at 2" depth is 55°F for 5-day average, and soil temperatures in excess of 55°F are expected to persist. For FL, TX, and HI, bermudagrass and seashore paspalum, make first application when soil temperature at 2" depth is 70°F.
- Sequential applications must be applied within 28-days of previous application in program.
- Application spray volume must be 2-4 gallons/1,000 sq. ft.
- Provide 0.20" immediate post application irrigation.
- Applications must be made in conjunction with a soil wetting agent at the time of application, or as part of a wetting agent program on a 14- to 28-day interval as recommended by the product manufacturer.

## FUNGICIDE ASSURANCE PROCESS:

- Follow prescribed application and product use rates recommended for effective control of Fairy Ring on greens.
- Claims will require spray records including soil temperature, carrier volume, and post app irrigation at the time of treatment.
- Breakthrough is defined as the appearance of fairy ring symptoms to levels that negatively impact the visual quality and playability of putting surfaces.
- If breakthrough occurs, it is at the PBI-Gordon Representative's discretion what product to provide for treatment and if a broadcast or spot treatment is required.
- An authorized PBI-Gordon Representative will make a final determination on any product claim.
- Assurance is limited to providing two curative applications, up to the acres of putting surfaces originally treated.

## TERMS AND CONDITIONS

- PBI-Gordon will pay for replacement products but will not pay for application costs.
- PBI-Gordon's determination as to whether less than acceptable control exists will be final.
- All spray records showing rates, date of application, watering amounts, etc. will be required by PBI-Gordon. No claims will be processed without full spray records and corresponding documentation.
- The golf course must have purchased product used from an authorized PBI-Gordon distributor within the last two market years.
- PBI-Gordon Corporation reserves the right to audit, modify or terminate this program at any time.
- Program not available where prohibited by law.

**Contact the PBI-Gordon Technical Service Team at [1.800.884.3179](tel:1.800.884.3179)  
or your local PBI-Gordon Representative to learn more.**

