

# BERMUDAGRASS

## Welcome to Rotation Nation

Because the future of our industry depends on the efficacy of our products, we've established Rotation Nation. PBI-Gordon has developed fungicide rotation programs to meet the specific needs of each region, while managing resistance by enlisting a variety of products and active ingredients, including the proven performers in our fungicide line:

- ★ **Kabuto® Fungicide SC**  
Excellent control of dollar spot and Spring dead spot!
- ★ **Segway® Fungicide SC**  
Proven protection against Pythium disease.
- ★ **Tekken™ Broad Spectrum Fungicide**  
One application rate controls 21 diseases for up to 28 days.

***No matter what region you're in, PBI-Gordon fungicides are formulated to play a powerful role in your rotation program.***

Diseases of bermudagrass and zoysiagrass are the primary concerns for the Southeastern U.S., and fungicide application recommendations for this region are focused on the control of *Rhizoctonia* leaf and sheath spot, *Pythium* diseases, large patch, and Spring dead spot.

Preventative fungicide applications for leaf spot, sheath spot, and large patch are important. Leaf spot applications are made in the spring and fall, and leaf and sheath spot (*Rhizoctonia zeae*) are made from May through late summer. *Pythium* diseases require fungicide applications in the spring and fall, and split applications for Spring dead spot are vital.

APP #	TREATMENT	TYPE	RATE	UNIT	APP DATE	FRAC	ACTIVE INGREDIENTS	DISEASES CONTROLLED
1	Mirage™ Stressgard™ Fungicide	SC	2.0	fl. oz./1,000 ft <sup>2</sup>	Mar 1	3	Tebuconazole	Large Patch, Take-all root rot
	Appear® Fungicide	L	6.0	fl. oz./1,000 ft <sup>2</sup>	Mar 1	33	Potassium phosphite	Pythium blight
2	Insignia® Fungicide	SC	0.70	fl. oz./1,000 ft <sup>2</sup>	Mar 15	11	Pyraclostrobin	Leaf spot, Large Patch, Take-all root rot
	Banol® Fungicide	L	2.0	fl. oz./1,000 ft <sup>2</sup>	Mar 15	28	Propamocarb hydrochloride	Pythium root rot
3	Secure® Fungicide	SC	0.5	fl. oz./1,000 ft <sup>2</sup>	Mar 29	29	Fluazinam	Leaf spot
	Subdue Maxx® Fungicide	ME	1.0	fl. oz./1,000 ft <sup>2</sup>	Mar 29	4	Mefenoxam	Pythium blight
4	Tartan® Stressgard® Fungicide	SC	2.0	fl. oz./1,000 ft <sup>2</sup>	April 12	3+11	Triadimefon+trifloxystrobin	Leaf spot, Fairy ring
	Segway® Fungicide SC	SC	0.45	fl. oz./1,000 ft <sup>2</sup>	April 12	21	Cyazofamid	Pythium blight
5	Mirage™ Stressgard® Fungicide	SC	2.0	fl. oz./1,000 ft <sup>2</sup>	April 26	3	Tebuconazole	Fairy ring
	Banol® Fungicide	L	2.0	fl. oz./1,000 ft <sup>2</sup>	April 26	28	Propamocarb hydrochloride	Pythium root rot
6	26GT® Fungicide	SC	4.0	fl. oz./1,000 ft <sup>2</sup>	May 10	2	Iprodione	Leaf spot
	Segway® Fungicide SC	SC	0.90	fl. oz./1,000 ft <sup>2</sup>	May 10	21	Cyazofamid	Pythium root rot
7	Honor® Intrinsic™ Brand Fungicide	WDG	1.1	oz./1,000 ft <sup>2</sup>	May 24	7+11	Boscalid+pyraclostrobin	Leaf spot, Leaf and sheath spot, Fairy ring
	Subdue Maxx® Fungicide	ME	1.0	fl. oz./1,000 ft <sup>2</sup>	May 24	4	Mefenoxam	Pythium blight
8	Segway® Fungicide SC	SC	0.90	fl. oz./1,000 ft <sup>2</sup>	May 31	21	Cyazofamid	Pythium root rot
9	Medallion® SC Fungicide	SC	2.0	fl. oz./1,000 ft <sup>2</sup>	June 7	12	Fludioxonil	Leaf and sheath spot
10	Heritage™ Action™ Fungicide	WDG	0.4	oz./1,000 ft <sup>2</sup>	June 21	11+P1	Azoxystrobin+acibenzolar-S-methyl	Leaf and sheath spot, Fairy ring
11	Medallion® SC Fungicide	SC	2.0	fl. oz./1,000 ft <sup>2</sup>	July 5	12	Fludioxonil	Leaf and sheath spot
12	Heritage™ Action™ Fungicide	WDG	0.4	oz./1,000 ft <sup>2</sup>	July 19	11+P1	Azoxystrobin+acibenzolar-S-methyl	Leaf and sheath spot, Fairy ring
13	Medallion® SC Fungicide	SC	2.0	fl. oz./1,000 ft <sup>2</sup>	Aug 2	12	Fludioxonil	Leaf and sheath spot
14	Tartan® Stressgard® Fungicide	SC	2.0	fl. oz./1,000 ft <sup>2</sup>	Aug 16	3+11	Triadimefon + trifloxystrobin	Fairy ring
15	Secure® Fungicide	SC	0.5	fl. oz./1,000 ft <sup>2</sup>	Aug 30	29	Fluazinam	Leaf spot
	Appear® Fungicide	L	6.0	fl. oz./1,000 ft <sup>2</sup>	Aug 30	33	Potassium phosphite	Pythium blight
16	Honor® Intrinsic™ Brand Fungicide	WDG	1.1	oz./1,000 ft <sup>2</sup>	Sept 13	7+11	Boscalid+pyraclostrobin	Leaf spot, Take-all root rot
	Subdue Maxx® Fungicide	ME	1.0	fl. oz./1,000 ft <sup>2</sup>	Sept 13	4	Mefenoxam	Pythium blight
17	Mirage™ Stressgard® Fungicide	SC	2.0	fl. oz./1,000 ft <sup>2</sup>	Sept 27	3	Tebuconazole	Large Patch, Take-all root rot
	Subdue Maxx® Fungicide	ME	1.0	fl. oz./1,000 ft <sup>2</sup>	Sept 27	4	Mefenoxam	Pythium blight
18	Kabuto® Fungicide SC	SC	2.0	fl. oz./1,000 ft <sup>2</sup>	Oct 11	7	Isofetmaid	Spring dead spot
	Segway® Fungicide SC	SC	0.45	fl. oz./1,000 ft <sup>2</sup>	Oct 11	21	Cyazofamid	Pythium blight
	Honor® Intrinsic™ Brand Fungicide	WDG	1.1	oz./1,000 ft <sup>2</sup>	Oct 11	7+11	Boscalid+pyraclostrobin	Leaf spot, Large Patch, Take-all root rot
19	Secure® Fungicide	SC	0.5	fl. oz./1,000 ft <sup>2</sup>	Oct 25	29	Fluazinam	Leaf spot
	Banol® Fungicide	L	2.0	fl. oz./1,000 ft <sup>2</sup>	Oct 25	28	Propamocarb hydrochloride	Pythium blight
20	Kabuto® Fungicide SC	SC	1.2	fl. oz./1,000 ft <sup>2</sup>	Nov 8	7	Isofetmaid	Spring dead spot
	Subdue Maxx® Fungicide	ME	1.0	fl. oz./1,000 ft <sup>2</sup>	Nov 8	4	Mefenoxam	Pythium blight

It is the responsibility of the end-user/applicator to ensure that the product is registered in the state where the application is being made. Refer to label for tank mixing instructions.